# Two way interactions between clouds and large-scale extratropical circulation

Ying Li

Department of Atmospheric Science Colorado State University


June 6, 2017

Rossow Symposium, 2017




courtesy Rob Wood (derived from Worldview)

#### More intense storms produce more cloud and larger SW and LW CRE



From Tselioudis and Rossow, GRL, 200623


Quantitative estimates of the linkages between cloud incidence and the RMS of vertical motion in the four midlatitude storm track regions from CloudSAT observations



From Li, Thompson, Stephens and Bony, JGR 2014


#### Links between clouds, radiation and large-scale circulation

- cloud responses to poleward jet shifts (Mark Zelinka)
- cloud responses to the extent of Hadley Cell (Bernard Lipat)
- Dynamic and thermodynamics controls on clouds (Kevin Grise)




From Stephens, JCLI 2005

# Changes in radiative flux at TOA, surface, and atmosphere when a cloud layer is inserted in the atmosphere



# Quantitative estimates of the cloud-induced radiative heating rate for specific cloud layers from CloudSAT observations



Li and Thompson, in preparation<sub>23</sub>

 What kind of influence do clouds have on long-term mean atmospheric circulation?

 What kind of influence do clouds have on the variability of the atmospheric circulation?

### Two primary approaches of assessing the influence of CREs on the atmospheric circulation

### COOKIE (Clouds On-Off Klimate Intercomparison Experiments) method

to turn off cloud radiative effects at every call in the radiation code

(e.g., Slingo and Slingo 1988; Randall et al. 1989; Slingo and Slingo 1991; Stevens et al. 2012; Fermepin and Bony 2014; Crueger and Stevens 2015; Li et al. 2015; Merlis 2015; Harrop and Hartmann 2016)

#### "cloud locking" method

to lock/prescribe radiative properties of clouds to those in the control values at every call in the radiation code

### Clouds On-Off Klimate Intercomparison Experiments (COOKIE)


 Two AMIP-type experiments from IPSL (Institue Pierre Simon Laplace) AGCM (IPSL-CM5A-LR)

30-yr control "clouds-on" experiments include full suite of model atmospheric cloud radiative effects (ACREs)
30-yr "clouds-off" experiments

model ACREs are *turned off* in the radiative computation


- Forced by the same observed monthly-mean SSTs and SICs over the period 1979–2008.
- Difference between "cloud-on" and "clouds-off" reveals the impact of ACRE on the model climate given identical surface boundary conditions.

### Atmospheric cloud radiative effect (ACRE) in "clouds-on" experiments




Total ACREs are dominated by the LW component

# Inclusion of ACRE leads to 1) increases in extratropical EKE, and 2) strengthening of midlatitude jet




Wave activity flux vector:

$$F_y \propto -[u^*v^*]$$
$$F_z \propto [v^*T^*]$$




From Li, Thompson and Bony, JCLI 2015

# Inclusion of ACRE leads to increases in precipitation at middle latitudes but decreases at subtropical latitudes




Eulerian vertical motion follows directly from changes in the momentum flux




From Li, Thompson and Bony, JCLI 2015

Inclusion of ACRE leads to 1) strengthening of the Brewer-Dobson circulation, 2) a cooling of the tropical lower stratosphere, and 3) a weakening and warming of the polar vortex




From Li, Thompson and Huang, JCLI, in press<sup>23</sup>

Inclusion of ACRE leads to 1) cooling of the extratropical lower stratosphere, 2) changes in the static stability and 3) increases in cloud fraction near the extratropical tropopause



From Li, Thompson and Huang, JCLI, in press23

# Inclusion of ACRE leads to shortening of the time scale of extratropical stratospheric variability




From Li, Thompson and Huang, JCLI in press

The shorter time scale of the extratropical stratospheric circulation in the clouds-on experiment are consistent with both the dynamic and radiative components of the responses

### Dynamically -driven



### Radiatively -driven



#### Key results, so far ...

 CloudSAT observations provide unprecedented insight into the influence of large-scale extratropical climate variability on clouds.

 Cloud radiative effects play a central role in determining the structure, amplitude and timescale of the extratropical circulation in climate models.

#### Key results, so far ...

 CloudSAT observations provide unprecedented insight into the influence of large-scale extratropical climate variability on clouds.

 Cloud radiative effects play a central role in determining the structure, amplitude and timescale of the extratropical circulation in climate models.

#### Future work

What kind of influence do clouds have on the variability of the atmospheric circulation?


### Assessing the influence of CREs on the variability of atmospheric circulation

#### "cloud locking" method

radiative properties of clouds are locked/prescribed to those in the control simulation in model's radiative transfer scheme at every call of the radiation code


- to quantify various radiative feedbacks (e.g., Wetherald and Manabe 1980, 1988; Hall and Manabe 1999; Schneider et al. 1999; Mauritsen et al. 2013),
- to isolate the atmospheric circulation response to cloud radiative effects from the direct radiative forcing of 4xCO2 (Ceppi and Hartmann 2016; Voigt and Shaw 2016)
- to explore the climate response to the suppression of cloud/circulation interactions (Rädel et al. 2016).

# Cloud feedbacks have a profound influence not only on the interannual variability in $\mathcal{T}_s$ ,




From Li and Thompson, in preparation

but also on large scale temperature and wind fields at various levels.



From Li and Thompson, in preparation

#### Cloud feedbacks on the persistence of SST anomalies



From Li and Thompson, in preparation